

KEY TO ARTICLES in Volume 98 for 1997

Authors

A

- AIN, R.L. & LALEG, M. Mill experiences with ATTM precipitated calcium carbonate (PCC) in papers containing mechanical pulp. (T495) 12:172.
ALBERTO, J. Flexible roll balancing. (T7) 1:57.
ALLEN, J. See DORRIS, G.M.
ALLISON, B.J., ISAKSSON, A.J. & KARLSTROM, A. Grey-box identification of a TMP refiner. (T123) 4:50.
ALLISON, B.J., ISAKSSON, A.J. & KARLSTROM, A. Distributed parameter model of a TMP refiner. (T282) 8:55.
ALMOST, S. See KENNY, R.
AMOS, S. & ROOSA, B. Don't take shortcuts with winder safety. 12:xx.
ANGELAC, A.P. See LeROUX, R.
ANGERS, P. See CHARETTE, A.
ARKUN, Y. See RIGOPOULOS, A.
ARMSTRONG, J.R. See LeROUX, R.

B

- BACK, R. See HOGLUND, H.
BAILEY, J. The Midwest Branch, CPPA, has a reason to shine. 1:11.
BAILEY, J. Travel tip for business travellers: Start here. 1:72.
BAILEY, J. New technology leads to a 'perfect' world. 3:46.
BAILEY, J. New tales of success are written on old fibre. 5:13.
BAILEY, J. Idle mill is Paperboard's workshop. 6:10.
BAILEY, J. Being accountable is part of being a leader. 7:8.
BAILEY, J. Recycling Forum looks for a balance. 12:12.
BANKS, D. In anticipation of regulatory impacts: dedicated NCG incineration with SO₂ removal. (T156) 5:42.
BARBE, M.C. See JANKNECHT, S.
BARIL, P. See DROLET, J.Y.
BARNETT, A.J. 22nd Annual Leak Survey: World capacity is at 38.2 million t/y. 3:13.
BARRETT, G. See KILBACK, D.
BARYNIN, J. See GLEADOW, P.
BERG, J.C. See SCHMIDT, D.C.
BIALKOWSKI, W.L. See TSENG, J.
BIALKOWSKI, W.L. A review of deadtime compensator and PI controller regulation performance. (T386) 10:62.
BLAIN, T. See GRANT, J.
BOEGH, K. See DORRIS, G.M.
BOILEAU, I. See SABOURIN, M.J.
BOWEN, B. Improving the accuracy of lower explosive limit monitoring. 3:21.
BRAATZ, R.D. & VANANTWERP, J.G. Advanced cross-directional control. (T237) 7:41.
BRATTON, J. & RILKOFF, L. Bargaining flexibility in the BC pulp and paper industry. 6:15.
BRUNGARDT, B. Improving the efficiency of internal and surface sizing agents. (T480) 12:152.

C

- CARRE, B. See GALLAND, G.
CARRIERE, S. & PINDER, K.L. Kneader-type pulpers: Lab test. (T36) 1:76.
CHABOT, B., DANEALUT, C., SAIN, M.M. & DORRIS, G.M. The adverse role of fibres during the flotation of flexographic inks. (T451) 12:115.
CHAMPAGNE, F. See LAGANIERE, M.
CHANTRE, G. See PETIT-CONIL, M.
CHARETTE, A. & ANGERS, P. Effects of repairs on electric motor efficiency. (T4) 1:32.
CLUETT, W.R. & WANG, L. New tuning rules for PID control. (T186) 6:52.
CLUETT, W.R. See TSENG, J.
COGHILL, R. See KENNY, R.
COOPER, J.R. Energy savings using medium voltage softstarts on chip blowers. (T145) 5:30.
COOPER, A., HARKE, D., LANG, I. & SMITH, R. Operating experiences with a gas heated paper dryer at Willamette Industries. (T460) 12:126.
COOPER, S.P., FOLSTER, H.G., GAINNS, S.A. & HAUPTMANN, E.G. Treatment of lagoon sludge, primary clarifier sludge, and bleach plant effluent by supercritical water oxidation. (T365) 10:37.
CORSON, S.R., WAKELIN, R.F. & LLOYD, M.D. The furnish development strategies. Part II: Sheet properties. (T9) 1:41.
CORSON, S.R. See WAKELIN, R.F.
CORT, J.B. See SABOURIN, M.J.

D

- DAGENAIS, M. See DORRIS, G.M.
DANEALUT, C. See SAIN, M.M.
DANEALUT, C. See CHABOT, B.
DATTA, A.K., LEE, J.H. & KRISHNAGOPALAN, G.A. Reducing batch-to-batch variability of pulp quality through model based estimation. (T119) 4:46.
DAVIES, M.S. See TULADHAR, A.
DAVY, M. Expect considerable growth in paper machine design speed, width, and production capacity. 6:20.

- DEBZI, E.M. See MARCHESSAULT, R.H.
DE CHOUDENS, C. See PETIT-CONIL, M.
D'ENTREMONT, M. See YUAN, Z.
DESSUREAULT, S. See JANKNECHT, S.
DILABIO, R.A. & MEHLMAN, S.K. Upgrading wastewater treatment plants with economical on-site oxygen supply. (T427) 11:46.
DORRIS, G.M., DAGENAIS, M., DOUEK, M., BOEGH, K. & ALLEN, J. Use of distilled tall oil as a flotation collector in deinking mills. (T469) 12:137.
DORRIS, G.M. See CHABOT, B.
DOUEK, M. See DORRIS, G.M.
DOYLE III, F.J. See WISNEWSKI, P.A.
DROLET, J.Y. & BARIL, P. A review of constraints and opportunities for the land application of paper mill sludges and residues. (T197) 6:63.
DUNCAN, S.R. Estimating the response of actuators in a cross-directional control system. (T132) 4:61.
DYKSTRA, H. See WENSLEY, A.

E

- EASTON, C. See KENNY, R.
EICHENBERG, J.P., HENNENFENT, H. & LILJESTRAND, L. Multiple re-strikes phenomenon when using vacuum circuit breakers to start refiner motors. (T228) 7:32.
EPINEY, M. See HOMER, G.
EXCOFFIER, G. See MARCHESSAULT, R.H.

F

- FALK, B. See HOGLUND, H.
FARRELL, S. Shutdown: How Weyerhaeuser Canada is preparing for 1997. 2:12.
FARZADEH, H. See XIA, Q.
FARZADEH, H., RIPPON, P. & OLOFSSON, J. Mill-wide information system at Slave Lake Pulp Corporation. (T431) 11:51.
FOLSTER, H.G. See COOPER, S.P.
FUNKQUIST, J. Grey-box identification of the continuous digester. (T414) 11:32.

G

- GABBUSCH, U. The Janus Concept: A completely new calendaring technology to meet future market requirements. (T32) 1:68.
GAINNS, S. See COOPER, S.P.
GALLAND, G., VERNAC, Y. & CARRE, B. The advantages of combining neutral and alkaline deinking. Part I: Comparison of deinking of offset and flexo printed paper. (T182) 6:46. Part II: Comparison of various processes for deinking mixtures containing waterbased printed paper in the CTP pilot plant. (T254) 7:60.
GERMAIN M. See KANTARDJIEFF, A.
GIRARD, R.D. & VAN HEININGEN, A.R.P. Yield determination and mass balance closure of batch ethanol-based solvent cookings. (T290) 8:65.
GLEADOW, P., HASTINGS, C., BARYNIN, J., SCHRODERUS, S. & WARNQVIST, B. Towards closed-cycle kraft: ECF versus TCF case studies. (T100) 4:27.
GOMERSALL, T. See OLLILA, M.
GOODMAN, R.M. The impact of paper on ink plate interactions in offset lithography. (T40) 2:17.
GOODMAN, R.M. See ROBERGE, N.
GORINEVSKY, D., HEAVEN, M., HAGART-ALEXANDER, C., KEAN, M. & MORGAN, S. New algorithms for intelligent identification of paper alignment and nonlinear shrinkage. (T209) 6:76.
GORINEVSKY, D., VYSE, R., HAGART-ALEXANDER, C. & HEAVEN, M. Performance analysis of cross-directional process control using multivariable and spectral models. (T240) 7:44.
GORINEVSKY, D. See HEAVEN, M.
GRAFF, S. See LAGANIERE, M.
GRANFELDT, T., GRUNDSTROM, P. & LARY, E. High brightness bleaching of mixed office waste. (T26) 1:62.
GRANT, J. & BLAIN, T. Short sequence recycling: The factors affecting ink agglomeration and stability. (T16) 1:51.
GRATTON, M.F., HAMEL, J. & McDONALD, J.D. Temperature-gradient calendaring: From the laboratory to commercial reality. (T82) 3:62.
GREENBAUM, P.J. Pushing the envelope of mechanical pulping. 3:41.
GREENBAUM, P.J. Fundamental research in residual lignins and non-wood fibres is essential for paper producers. 8:19.
GREENBAUM, P.J. To stay globally competitive, Canadian companies say agreements of five-years-or-more are necessary. 9:14.
GRENGG, M. See KAPPEL, J.
GRUNDSTROM, P. See GRANFELDT, T.
GURNAGUL, N. & SETH, R.S. Wet-web strength of hardwood kraft pulps. (T 305) 9:44.

H

- HABETS, L.H.A., HOOIMEIJER, A. & KNELISSEN, H.J. In-line biological process water treatment for zero discharge operation at recycled fibre board mills. (T504) 12:184.
HAGART-ALEXANDER, C. See GORINEVSKY, D.
HAGART-ALEXANDER, C. See HEAVEN, M.
HAMEL, J. See GRATTON, M.F.
HARKE, D. See COOPER, A.

ANNUAL INDEX

HASTINGS, C. See GLEADOW, P.
 HAUPTMANN, E.G. See COOPER, S.P.
 HEATH, W.P. See WELLSTEAD, P.E.
 HEAVEN, M. See GORINEVSKY, D.
 HEAVEN, M., D. GORINEVSKY, D., HAGART-ALEXANDER, C. & VYSE, B. Applications of model-based tuning and analysis tools to paper machine control. (T249) 7:54.
 HEINOLA, M., SCHLEGEL, J. & MAARVE, L. The influence of forming fabrics on the retention and drainage on gap formers. (201) 6:67.
 HEINTZE, H.U. See SHALLHORN, P.M.
 HENNENFENT, H. See EICHENBERG, J.P.
 HENRICKSSON, C. See XIA, Q.
 HILDEN, K.K. & JAAKKOLA, T. New roll measurement and control technology result in better paper machine performance. (T91) 3:72.
 HILDEN, K.K. See PERENTO, J.
 HISTED, J. Simplified Bleaching: environmental advantages for existing bleach plants. (T400) 10:77.
 HISTED, J. Reconfiguration of a five-stage bleach plant for ultra-low AOX discharge. (T491) 12:167.
 HOGLUND, H., BACK, R., FALK, B. & JACKSON, M. Thermopulp — a new energy-efficient mechanical pulping process. (T215) 6:82.
 HOMER, G., EPINEY, M. & JOHNSON, S. DZ state-of-the-art ECF bleaching: Part I. (T269) 8:42.
 HOOMEIJER, A. See HABETS, L.H.A.
 HUHTELIN, T.J. See NISSINEN, A.I.
I
 ISAKSSON, A.J. See ALLISON, B.J.
J
 JAAKKOLA, T. See HILDEN, K.K.
 JACK, J.S. See ROCHE, A.A.
 JACKSON, M. See HOGLUND, H.
 JANKNECHT, S., MICHAUD, G., BARBE, M.C., DESSUREAULT, S. & KORAN, Z. Optimum CTMP/CMP pulps for board production. (T163) 5:49.
 JOHNSON, D.A. See VIDOTTI, R.M.
 JOHNSON, S. See HOMER, G.
 JONES, J.P. See KANTARDJIEFF, A.
 JONES, E.H. & MOORE, R.H. Extending the life of synthetic supercalendar covers. (T52) 2:31.
K
 KANTARDJIEFF, A., JONES, J.P. & GERMAIN, M. The Canadian pulp and paper industry and the new ISO 14000 environmental standards. (T1) 1:28.
 KAPPEL, J., GRENGG, M. & KITTEL, F.P. TCF bleaching for sulphite pulps. (T244) 7:48.
 KARLSTROM, A. See ALLISON, B.J.
 KAYIHAN, F. Process systems management in the pulp and paper industries: An optimization approach. (T265) 8:37.
 KAYIHAN, F. See RIGOPoulos, A.
 KEAN, M. See GORINEVSKY, D.
 KENNY, R., ALMOST, S., COGHILL, R., EASTON, C. & OSTERBERG, F. CPPA/International review of pulp and paper activated sludge dewatering practices. (277) 8:50.
 KILBACK, D. & BARRETT, G. Closing a landfill: A case study. (T205) 6:72.
 KITTEL, F.P. See KAPPEL, J.
 KJAER, A.P. See WELLSTEAD, P.E.
 KNELISSEN, H.J. See HABETS, L.H.A.
 KOIVO, H.N. See NISSINEN, A.I.
 KORAN, Z. See JANKNECHT, S.
 KRISHNAGOPALAN, G.A. See DATTA, A.K.
L
 LABRIE, R. Results of the Technical Section, CPPA, Mechanical Maintenance Survey. (T258) 7:29.
 LAGANIERE, M., CHAMPAGNE, F., GRAFF, S. & NADEZHDIN, A. Accelerated batch cooking. (T484) 12:157.
 LALEG, M. See AIN, R.L.
 LANG, I. See COOPER, A.
 LARY, E. See GRANFELDT, T.
 LAW, K.N. See TYRVAINEN, J.
 LAXEN, T. See ROBERTSEN, L.
 LEE, J.H. See DATTA, A.K.
 LEKK, D. Professional development goes to school. 3:42.
 LEROUX, S. Burning gas and reducing odor all in a day's work. 3:41.
 LeROUX, R., PRUSZYNSKY, P.E., ARMSTRONG, J.R., LIN, J.F., POLVERARI, M.S. & ANGELAC, A.P. Control of stickies contaminants in newsprint applications — review, mechanisms and novel approach. (T315) 9:54.
 LI, Z., NI, Y. & VAN HEININGEN, A.R.P. Incorporation of peracetic acid into brightening of groundwood pulps. (T148) 5:34.
 LI, Z. See NI, Y.
 LIARD, A., LO, A. & VELEMA, G. Environmental effects of sludge use in a poplar plantation. (T457) 12:122.
 LILJESTRAND, L. See EICHENBERG, J.P.
 LIN, J.F. See LeROUX, R.
 LLOYD, M.D. See CORSON, S.R.
 LO, A. See LIARD, A.
 LOEWEN, S.R. Fibre orientation optimization. (T391) 10:67.
 LONNBERG, B. See ROBERTSEN, L.
M
 MAARVE, L. See HEINOLA, M.
 MacKENZIE, S. See SABOURIN, M.J.
 MALTAIS, D. See NAULT, G.
 MANGIN, P.J. Digital printing: the future of printing? (T435) 12:93.
 MARCHESSAULT, R.H. Deinking of xerographic prints assisted by steam-explosion. (T172) 5:59.

MARCIL, L. Mill safety improves in Canadian mills. 3:27.
 McCUBBIN, N. Voice recognition software shows promise. 1:98.
 McCUBBIN, N. The war over office suites. 2:48.
 McCUBBIN, N. The Internet in the mill? 3:77.
 McCUBBIN, N. Tips for Windows 95 from the Web. 4:66.
 McCUBBIN, N. New process simulation software. 5:63.
 McCUBBIN, N. Get the most from your word. 6:92.
 McCUBBIN, N. Banking by computer: Only a few keystrokes away? 7:53.
 McCUBBIN, N. Making life easier with your work processor. 8:59.
 McCUBBIN, N. Stay tuned for the sequel to Windows 95. 9:95.
 McCUBBIN, N. Internet security: How real are the dangers? 10:85.
 McCUBBIN, N. Microsoft navigates a new Internet path. 11:57.
 McCUBBIN, N. What does the Cluster Rule mean for Canada? 12:193.
 McDONALD, J.D. See GRATTON, M.F.
 McDONALD, D. Energy consumption, brightness reversion are still the challenges to meet. 8:22.
 McDONALD, J.D. See THOMPSON, C.B.
 MEHLMAN, S.K. See DILABIO, R.A.
 MICHAUD, G. See JANKNECHT, S.
 MILL, D. Energy partnerships: An alternative structure is feasible. 4:14.
 MOHR, P. Delivering shareholder value. 4:70.
 MOHR, P. Competitive challenges in market pulp. 6:90.
 MOHR, P. Fine paper markets recover — Led by strong US advertising demand. 8:64.
 MOHR, P. Canadian pulp and paper producers climb the value-added ladder. 10:83.
 MOHR, P. Slower growth in Southeast Asia "spooks" commodity markets. 12:191.
 MOORE, R.H. See JONES, E.H.
 MORGAN, S. See GORINEVSKY, D.
N
 NADEZHDIN, A. See LAGANIERE, M.
 NAULT, G. & MALTAIS, D. Application of an on-line expert system to optimize dryers and press sections at Domtar Windsor. (T448) 12:111.
 NGUYEN, P. See SCHRODERUS, S.K.
 NI, Y. See LI, Z.
 NI, Y., LI, Z. & VAN HEININGEN, A.R.P. Minimization of the brightness loss due to metal ions in process water for bleached mechanical pulps. (T396) 10:72.
 NI, Y. See YUAN, Z.
 NI, Y. & VAN HEININGEN, A.R.P. TCF bleaching for the Alcell process including oxygen delignification. (T419) 11:38.
 NISSINEN, A.I., KOIVO, H.N. & HUHTELIN, T.J. Headbox control using a multivariable PI controller in a distributed automation system. (T152) 5:38.
O
 OGAWA, S. Robust PI controller tuning and process identification. (T404) 11:18.
 OLLILA, M., PELTOMAKI, T. & GOMERSALL, T. DO-stage control in ECF bleaching and mid-digester kappa measurement. (T77) 3:56.
 OLOFSSON, J. See FARZADEH, H.
 ORCOTOMA, J.A., STIEE, D., PARIS, J. & PERRIER, M. Dynamics of fines distribution in a white-water network. (T336) 9:77.
 OSTERBERG, F. See KENNY, R.
 OUELLET, J. Process control must be managed properly to work. 3:42.
 OUELLET, J. There are many ways to improve ECF bleaching conditions. 3:43.
 OUELLET, J. "Expand from within" Estivale is told. 7:10.
 OWEN, M. See RIEBEL, P.
 OWEN, M. & RIEBEL, P. Obtaining reliable BOD5 data for regulatory reporting and treatment operation. (T286) 8:60.
P
 PALDY, I. See SCHRODERUS, S.K.
 PANGALOS, G. A critical comparison of PRP and PP brightening of low-freeness CTMP. (T176) 6:40.
 PANTALEO, S.B. Basis weight profiling experience of the Concept IV-MH headbox. (T62) 2:42.
 PARIS, J. See ORCOTOMA, J.A.
 PEDNEAULT, C., ROBERT, S. & PELLERIN, C. Bleaching with new reductive chemicals: Replacement of hydrosulphite. (T72) 3:51.
 PELLERIN, C. See PEDNEAULT, C.
 PELTOMAKI, T. See OLLILA, M.
 PERENTO, J. & HILDEN, K.K. Off-line paper machine analyzer provides improved paper machine production, efficiency and paper quality. (T326) 9:67.
 PERRIER, M. See ORCOTOMA, J.A.
 PETTIT-CONIL, M., DE CHOUDENS, C. & CHANTRE, G. Selection of poplar clones for thermomechanical pulping.
 PICCIONE, J. Fragile recovery will lead to good supply, stable prices. 1:21.
 PIKULIK, I.I. See THOMPSON, C.B.
 PIKULIK, I.I. Wet-web properties and their effect on picking and machine runnability. (T487) 12:161.
 PINDER, K.L. See CARRIERE, S.
 PLOUFFE, P. & PROVOST, L. Electronic customer data management system. (T445) 12:107.
 POLVERARI, M.S. See LeROUX, R.
 PRIMUS, C.J. See WISNEWSKI, P.A.
 PROVOST, L. See PLOUFFE, P.
 PRUSZYNSKI, P.E. See LeROUX, R.
Q
 QIAN, X. & TESSIER, P. Dynamic modelling and control of a hydrogen peroxide bleaching process. (T340) 9:81.
R
 RAO, M. See XIA, Q.
 RAO, M. See ZHU, J.
 REID, D.C. See THOMPSON, C.B.
 REXFELT, J. Multiaxial press fabrics from evolution to revolution. (T13) 1:46.
 RIEBEL, P. EMS and ISO 14000. 1:83.
 RIEBEL, P. EEM update. 3:78.

- RIEBEL, P., OWEN, M. & YAZER, M. Toxicity prevention and response. (T141) 5:23.
 RIEBEL, P. Effluent non-compliance. 5:58.
 RIEBEL, P. Should mill environmental laboratories seek accreditation? 7:59.
 RIEBEL, P. See OWEN, M.
 RIEBEL, P. Choosing software for EMS. 9:90.
 RIEBEL, P. Effective emergency response planning. 11:59.
 RIGOPOULOS, A., ARKUN, Y. & KAYIHAN, F. Control relevant disturbance modeling of paper machine full profile properties using adaptive PCA. (T423) 11:42.
 RILKOFF, L. See BRATTON, J.
 RIPPO, P. See FARZADEH, H.
 ROBB, G.A. Process energy standards. (T362) 10:33.
 ROBERGE, N. & GOODMAN, R.M. How waterless offset printing affects the papermaker. 3:24.
 ROBERT, S. See PEDNEAULT, C.
 ROBERTSEN, L., LONNBERG, B. & LAXEN, T. Extraction in combination with pulp washing. (T345) 9:86.
 ROBINSON, D.G. Rader bar screen performance at Howe Sound Pulp & Paper Ltd. (T96) 4:21.
 ROCHE, A.A., JACK, J.S. & SAVOIE, M. Successful application of process control and on-line pulp quality sensors — a survey. (T440) 12:99.
 RODDEN, G. New ownership prepares Baie Comeau for new frontiers. 2:9.
 RODDEN, G. Montreal is still the place to be in January. 3:31.
 RODDEN, G. Spruce Falls shows its initiative in the Gadget Competition. 3:40.
 RODDEN, G. Newsprint moves beyond a commodity. 3:44.
 RODDEN, G. Corner Brook's energy conservation program comes up a winner. 4:9.
 RODDEN, G. Electrical projects give Grand Falls a boost. 4:16.
 RODDEN, G. Closure provides Trenton with increased flexibility, extra capacity. 5:8.
 RODDEN, G. Stora continues to lead the way. 6:27.
 RODDEN, G. Powell River looks to the long term. 7:16.
 RODDEN, G. Safari shows off a cornucopia of new technology at five Finnish mills. 8:9.
 RODDEN, G. When giants meet. 9:20.
 RODDEN, G. Alberta's only paper mill puts a heavy emphasis on its people skills. 9:25.
 RODDEN, G. Turning off the tap. 10:13.
 RODDEN, G. Elks Falls continues pioneering work in mini-chip pulp production. 10:18.
 RODDEN, G. Norkraft's 30th anniversary promises a new beginning. 11:9.
 RODDEN, G. PaperWeek International aims to show the world how the Canadian industry is leading change. 11:16.
 RODDEN, G. Delegates given the route to follow to become world class. 12:18.
 RODDEN, G. Dryer door down. 12:25.
 RODDEN, G. Minas Basin adds a new machine...for 30 cents on the dollar. 12:33.
 RODDEN, G. Leading change: Re-examining the way to do business. 12:35.
 ROOSA, B. See AMOS, S.
 RORING, A. & WACKERBERG, E. Characterization of deinking white water — influence on flotation and bleaching efficiency. (T136) 5:17.
- S**
 SABOURIN, M.J., XU, E., CORT, J.B., BOILEAU, I. & WALLER, A. Optimizing residence time, temperature and speed to improve TMP pulp properties and reduce energy. (T111) 4:38.
 SABOURIN, M.J., MacKENZIE, S. & URQUHART, N. Evaluation of two-stage and three-stage refining processes for production of TMP pulp for SCA + paper. (T464) 12:130.
 SAIN, M.M. & DANEAL, C. Comparison between peroxide prebleaching and post-bleaching sequence of ONP with alternative chemicals: chances and limitations. (T310) 9:49.
 SAIN, M.M. See CHABOT, B.
 SAVOIE, N. See ROCHE, A.A.
 SCHLEGEL, J. See HEINOLA, M.
 SCHMIDT, D.C. & BERG, J.C. The selective removal of toner particles from repulped slurries by flotation. (T43) 2:21.
 SCHRODERUS, S.K. See GLEADOW, P.
 SCHRODERUS, A.K., NGUYEN, P. & PALDY, I. Adding oxygen delignification in an existing kraft mill.
 SCOTT-KERR, C. Manufacture of multiwall sack papers. (T159) 5:45.
 SETH, R.S. See GURNAGUL, N.
 SHALLHORN, P.M. Hardwood vessel picking in the offset printing of uncoated fine papers. (T353) 10:21.
 SMITH, R. See COOPER, A.
 SPENCE, M. See TOLAN, J.S.
 STIEE, D. See ORCOTOMA, J.A.

- T**
 TESSIER, P. See QIAN, X.
 THIBAUT, L. See TOLAN, J.S.
 THOMPSON, E.V. See VIDOTTI, R.M.
 THOMPSON, C.B. & REID, D.C. Roll journal cracking on paper machines: A review of the problem. (T261) 7:33.
 THOMPSON, C.B., McDONALD, J.D. & PIKULIK, I.I. The characterization of press roll topography. (357) 10:27.
 TOLAN, J.S. & SPENCE, M. On-line tracer system to improve enzyme performance. (T57) 2:36.
 TOLAN, J.S. & THIBAUT, L. Decreasing ECF bleaching costs with enzymes in a mill with oxygen delignification. (T476) 12:147.
 TOLAN, J.S. See YEE, E.
 TROYAS, X. See WELLSTEAD, P.E.
 TSENG, J., CLUETT, W.R. & BIALKOWSKI, W.L. Variability propagation through a stock preparation system: Implications for process control and process design. (T322) 9:63.
 TULADHAR, A., DAVIES, M.S., YIM, C. & WOODS, G.R. Headbox modeling and wet end pressure pulsation analysis. (T349) 9:91.
 TYRVAINEN, J., LAW, K.N. & VALADE, J.L. Alkaline-peroxide inter-stage treated mechanical pulp from jack pine (Pinus banksiana). Part I: Introduction and pulp physical properties. (T191) 6:57. Part II: Pulp optical properties, color reversion, extractives content, and process implications. (T223) 7:26.
 TYRVAINEN, J. Newsgrade TMP from three different Norway Spruce (Picea Abies) wood assortments in mill-scale. (T376) 10:51.

U

URQUHART, N. See SABOURIN, M.J.

V

- VALADE, J.L. See TYRVAINEN, J.
 VANANTWERP, J.G. See BRAATZ, R.D.
 VAN HEININGEN, A.R.P. See LI, Z.
 VAN HEININGEN, A.R.P. See GIRARD, R.D.
 VAN HEININGEN, A.R.P. See NI, Y.
 VAN HEININGEN, A.R.P. See YUAN, Z.
 VAN LIEROP, B. & WOOD, R. The Technical Section's 82nd Year in Review. 3:32.
 VAN LIEROP, B. Knowledge and judgement are crucial to Canada's competitiveness. 3:39.
 VELEMA, G. See LIARD, A.
 VERNAC, Y. See GALLAND, G.
 VIDOTTI, R.M., JOHNSON, D.A. & THOMPSON, E.V. Influence of toner detachment during mixed office waste paper repulping on flotation efficiency. Part I: particle fractionation. (T127) 4:55.
 VOLK, J.I. & YOUNG, J.J. Successful Lo-Solids™ Cooking at Hinton. (T68) 3:47.
 VYSE, R. See GORINEVSKY, D.
 VYSE, R. See HEAVEN, M.

W

- WACKERBERG, E. See RORING, A.
 WAKELIN, R.F. See CORSON, S.R.
 WAKELIN, R.F. & CORSON, S.R. TMP long fibre fractionation with pressure screens. (T500) 12:179.
 WALLER, A. See SABOURIN, M.J.
 WANG, L. See CLUETT, W.R.
 WARNQVIST, B. See GLEADOW, P.
 WENSLEY, A. & DYKSTRA, H. Corrosion of bleach washers. (T302) 9:40.
 WELLSTEAD, P.E., ZARROP, M.B., HEATH, W.P., KJAER, A.P. & TROYAS, X. Two-dimensional methods for MD and CD estimation and control: Recent progress. (T331) 9:72.
 WILLIAMSON, M. Retention aid research. 10:9.
 WILLIAMSON, P.N. Recycling: Still much to learn. 3:44.
 WISNEWSKI, P.A., DOYLE III, F.J. & PRIMUS, C.J. Measurement selection issues for the model predictive control of a Kamyr digester. (T233) 7:37.
 WOOD, R. See VAN LIEROP, B.
 WOODS, G.R. See TULADHAR, A.

X

- XIA, Q., RAO, M., HENRICKSSON, C. & FARZADEH, H. Case-based reasoning for intelligent fault diagnosis and decision making in pulp processes. (T47) 2:26.
 XIA, Q. See ZHU, J.
 XU, E. See SABOURIN, M.J.

Y

- YAZER, M. See RIEBEL, P.
 YEE, E. & TOLAN, J.S. Three years experience running enzymes continuously to enhance the bleaching at Weyerhaeuser Prince Albert. (T370) 10:42.
 YIM, C. See TULADHAR, A.
 YOUNG, J.J. See VOLK, J.I.
 YUAN, Z., D'ENTREMONT, M., NI, Y. & VAN HEININGEN, A.R.P. The role of transition metal ions during peracetic acid bleaching of chemical pulps. (T408) 11:24.

Z

- ZARROP, M.B. See WELLSTEAD, P.E.
 ZHU, J., XIA, Q., RAO, M. & ZURCHER, J. A neural network for modeling pulp process. (T298) 9:35.
 ZURCHER, J. See ZHU, J.

By Title or Subject

22nd Annual Leak Survey: World capacity is at 38.2 million t/y. A.J. Barnet. 3:13.

A

- ACCELERATED batch cooking. M. Laganieri et al. (T484) 12:157.
 ACTIVE ALKALI. Accelerated batch cooking. M. Laganieri et al. (T484) 12:157.
 ADDING oxygen delignification in an existing kraft mill. S.K. Schroderus et al. (T294) 9:30.
 ADDITIVES. Retention aid research leads to customized chemical applications. M. Williamson. 10:9.
 ADVANCED cross-directional control. R.D. Braatz et al. (T237) 7:41.
 ADVANTAGES of combining neutral and alkaline deinking. Part I: Comparison of deinking of offset and flexo printed paper. G. Galland et al. (T182) 6:46. Part II: Comparison of various processes for deinking mixtures containing waterbased printed paper in the CTP pilot plant. G. Galland et al. (T254) 7:60.
 ADVERSE role of fibres during the flotation of flexographic inks. B. Chabot et al. (T451) 12:115.
 ALBERTA'S only paper mill puts a heavy emphasis on its people skills. G. Rodden. 9:25.
 ALKALINE-PEROXIDE inter-stage treated mechanical pulp from jack pine (Pinus banksiana). Part I: Introduction and pulp physical properties. J. Tyrvainen, J. et al. (T191) 6:57. Part II: Pulp optical properties, color reversion, extractives content, and process implications. J. Tyrvainen et al. (T223) 7:26.
 ANALYSIS. Headbox modeling and wet end pressure pulsation analysis. A. Tuladhar et al. (T349) 9:91.
 ANTICIPATION of regulatory impacts: dedicated NCG incineration with SO₂ removal. D. Banks. (T156) 5:42.
 APPLICATION of an on-line expert system to optimize dryers and press sections at Domtar Windsor. G. Nault et al. (T448) 12:111.
 APPLICATIONS of model-based tuning and analysis tools to paper machine control. M. Heaven et al. (T249) 7:54.

ANNUAL INDEX

B

- BAG PROPERTIES.** Manufacture of multiwall sack papers. C. Scott-Kerr. (T159) 5:45.
- BALANCING.** Flexible roll balancing. J. Alberto. (7) 1:37.
- BANKING by computer.** Only a few keystrokes away? N. McCubbin. 7:53.
- BARCAINING flexibility in the BC pulp and paper industry.** J. Bratton et al. 6:15.
- BASIS WEIGHT** profiling experience of the Concept IV-MH headbox. S.B. Pantaleo. (T62) 2:42.
- BATCH PROCESS.** Yield determination and mass balance closure of batch ethanol-based solvent cookings. R.D. Girard et al. (T290) 8:65.
- BEARINGS.** Roll journal cracking on paper machines: A review of the problem. C.B. Thompson et al. (T261) 8:33.
- BEING** accountable is part of being a leader. J. Bailey. 7:8.
- BIOBLEACHING.** On-line tracer system to improve enzyme performance. J.S. Tolan et al. (T57) 2:36.
- BIOLOGICAL TREATMENT.** CPPA/International review of pulp and paper activated sludge dewatering practices. R. Kenny et al. (T277) 8:50.
- BIOLOGICAL TREATMENT.** In-line biological process water treatment for zero discharge operation at recycled fibre board mills. L.H.A. Habets et al. (T504) 12:184.
- BLEACH PLANTS.** Corrosion of bleach washers. A. Wensley et al. (T302) 9:40.
- BLEACH PLANTS.** Simplified Bleaching: environmental advantages for existing bleach plants. J. Histed. (T400) 10:77.
- BLEACHING.** High brightness bleaching of mixed office waste. T. Granfeldt et al. (T26) 1:62.
- BLEACHING** with new reductive chemicals: Replacement of hydrosulphite. C. Pedneault et al. (T72) 3:51.
- BLEACHING.** Reconfiguration of a five-stage bleach plant for ultra-low AOX discharge. J. Histed. (T491) 12:167.
- BOTTOM LINE.** Delivering shareholder value. P. Mohr. 4:70; Competitive challenges in market pulp. P. Mohr. 6:90; Fine Paper markets recover — Led by strong US advertising demand. P. Mohr. 8:64; Canadian pulp and paper producers climb the value-added ladder. P. Mohr. 10:83; Slower growth in Southeast Asia "spooks" commodity markets. P. Mohr. 12:191.
- BRANCH REPORT.** The Midwest Branch, CPPA, has a reason to shine. J. Bailey. 1:11.
- BRIGHTENING.** Incorporation of peracetic acid into brightening of groundwood pulps. Z. Li et al. (T148) 5:34.
- BURNING GAS** and reducing odor all in a day's work. S. Leroux. 3:41.

C

- CALCIUM CARBONATE.** Mill experiences with AT™ precipitated calcium carbonate (PCC) in papers containing mechanical pulp. (T495) 12:172.
- CALENDERING.** The Janus Concept: A completely new calendaring technology to meet future market requirements. U. Gabbusch. (T32) 1:68.
- CALENDERING.** Temperature-gradient calendaring: From the laboratory to commercial reality. M.F. Gratton et al. (T82) 3:62.
- CANADIAN pulp and paper industry and the new ISO 14000 environmental standards.** A. Kantardjiev et al. (T1) 1:28.
- CANADIAN pulp and paper producers** climb the value-added ladder. P. Mohr. 10:83.
- CAPITAL EXPENDITURES.** Stora continues to lead the way. G. Rodden. 6:27.
- CASE-BASED** reasoning for intelligent fault diagnosis and decision making in pulp processes. Q. Xia et al. (T47) 2:26.
- CHAIRMAN'S MESSAGE.** Knowledge and judgement are crucial to Canada's competitiveness. B. van Lierop. 3:39.
- CHARACTERIZATION** of deinking white water — influence on flotation and bleaching efficiency. A. Roring et al. (T156) 5:17.
- CHARACTERIZATION** of press roll topography. C.B. Thompson et al. (T357) 10:27.
- CHEMICAL REPORT.** Fragile recovery will lead to good supply, stable prices. J. Piccione. 1:21.
- CHOOSING** software for EMS. P. Riebel. 9:90.
- CIRCUIT BREAKERS.** Multiple re-strikes phenomenon when using vacuum circuit breaker to start refiner motors. J.P. Eichenberg et al. (T228) 7:32.
- CLOSED SYSTEMS.** Towards closed-cycle kraft: ECF versus TCF case studies. P. Gleadow et al. (T100) 4:27.
- CLOSED SYSTEMS.** Closure provides Trenton with increased flexibility, extra capacity. G. Rodden. 5:8.
- CLOSING** a landfill: A case study. D. Kilback et al. (T205) 6:72.
- CLOSURE** provides Trenton with increased flexibility, extra capacity. G. Rodden. 5:8.
- COMPARISON** between peroxide prebleaching and postbleaching sequence of ONP with alternative chemicals: chances and limitations. M.M. Sain et al. (T310) 9:49.
- COMPETITIVE** challenges in market pulp. P. Mohr. 6:90.
- CONFERENCES:**
- Midwest Branch Conference. J. Bailey. 1:11.
 - TS Annual Meeting. G. Rodden. 3:31
 - 1997 International Environmental Conference. J. Bailey. 7:8.
 - Estivale Conference. J. Ouellet. 7:10.
 - PacWest Conference. G. Rodden. 7:12.
 - Symposium on Wood & Pulp Chemistry. P.J. Greenbaum. 8:19.
 - Mechanical Pulp Conference. D. McDonald. 8:22.
 - Midwest Branch Conference. P&PC Special Report. 8:25.
 - PaperWeek International. G. Rodden. 11:16.
 - Recycling Forum. J. Bailey. 12:12.
 - Midwest Branch Conference. G. Rodden. 12:18.
 - PaperWeek International. G. Rodden. 12:35.
- CONSERVATION.** Turning off the tap. G. Rodden. 10:13.
- CONTROL** of stickies contaminants in newsprint applications — review, mechanisms and novel approach. R. LeRoux et al. (T315) 9:54.
- CONTROL RELEVANT** disturbance modeling of paper machine full profile properties using adaptive PCA. A. Rigopoulos et al. (T423) 11:42.
- CONTROL SYSTEMS.** Case-based reasoning for intelligent fault diagnosis and decision making in pulp processes. Q. Xia et al. (T47) 2:26.
- CONTROL SYSTEMS.** Estimating the response of actuators in a cross-directional control system. S.R. Duncan. (T132) 4:61.
- CONTROL SYSTEMS.** Advanced cross-directional control. R.D. Braatz et al. (T237) 7:41.
- CONTROL SYSTEMS.** Applications of model-based tuning and analysis tools to paper machine control. M. Heaven et al. (T249) 7:54.

- CONTROL SYSTEMS.** A review of deadtime compensator and PI controller regulation performance. W.L. Bialkowski. (T386) 10:62.
- CONTROLLERS.** New Tuning rules for PID control. W.R. Cluett et al. (T186) 6:52.
- CORNER BROOK'S** energy conservation program comes up a winner. G. Rodden. 4:9.
- CORROSION** of bleach washers. A. Wensley et al. (T302) 9:40.
- COVERINGS.** Extending the life of synthetic supercalender covers. E.H. Jones. (T52) 2:31.
- CPPA/International** review of pulp and paper activated sludge dewatering practices. R. Kenny et al. (T277) 8:50.
- CRITICAL** comparison of PRP and PP brightening of low-freeness CTMP. G. Pangalos. 6:40.
- CUSTOMER RELATIONS.** Electronic customer data management system. P. Plouffe et al. (T445) 12:107.

D

- DECREASING** ECF bleaching costs with enzymes in a mill with oxygen delignification. J.S. Tolan et al. (T476) 12:147.
- DEINKING.** The selective removal of toner particles from repulped slurries by flotation. D.C. Schmidt et al. (T43) 2:21.
- DEINKING.** New tales of success are written on old fibre. J. Bailey. 5:13.
- DEINKING.** Characterization of deinking white water — influence on flotation and bleaching efficiency. (T136) 5:17.
- DEINKING** of xerographic prints assisted by steam-explosion. R. H. Marchessault et al. (T12) 5:59.
- DEINKING.** The advantages of combining neutral and alkaline deinking. Part I: Comparison of deinking of offset and flexo printed paper. G. Galland et al. (T182) 6:46. Part II: Comparison of various processes for deinking mixtures containing waterbased printed paper in the CTP pilot plant. G. Galland et al. (T254) 7:60.
- DELEGATES** given the route to follow to become world class. G. Rodden. 12:18.
- DELIVERING** shareholder value. P. Mohr. 4:70.
- DIGITAL** printing: the future of printing? P.J. Mangin. (T435) 12:93.
- DISK REFINERS.** Distributed parameter model of a TMP refiner. B.J. Allison et al. (T282) 8:55.
- DISSOLVED SOLIDS.** Successful Lo-Solids™ Cooking at Hinton. J.I. Volk et al. (T68) 3:47.
- DISTRIBUTED** parameter model of a TMP refiner. B.J. Allison et al. (T282) 8:55.
- DO-STAGE** control in ECF bleaching and mid-digester kappa measurement. M. Ollila et al. (T77) 3:56.
- DON'T** take shortcuts with winder safety. S. Amos & B. Roosa. 12:29.
- DRYER** door down. G. Rodden. 12:25.
- DRYERS.** Operating experiences with a gas heated paper dryer at Willamette Industries. A. Cooper et al. (T460) 12:126.
- DYNAMICS** of fine distribution in a white-water network. J.A. Orrcotoma et al. (T336) 9:77.
- DYNAMIC** modeling and control of a hydrogen peroxide bleaching process. X. Qian et al. (T340) 9:81.
- DZ** state-of-the-art ECF bleaching Part I. G. Homer et al. (T269) 8:42.

E

- ELECTRICAL** projects give Grand Falls a boost. G. Rodden. 4:16.
- EEM** update. P. Riebel. 3:78.
- EFFECTS** of repairs on electric motor efficiency. A. Charette et al. (T4) 1:32.
- EFFLUENT** non-compliance. P. Riebel. 5:58.
- EFFLUENT TREATMENT.** Obtaining reliable BOD5 data for regulatory reporting and treatment operation. M. Owen et al. (T286) 8:60.
- EFFLUENT TREATMENT.** Treatment of lagoon sludge, primary clarifier sludge, and bleach plant effluent by supercritical water oxidation. S.P. Cooper et al. (T365) 10:57.
- EFFLUENT TREATMENT.** Upgrading wastewater treatment plants with economical, on-site oxygen supply. R.A. DiLabio et al. (T427) 11:46.
- EFFLUENTS.** Toxicity prevention and response. P. Riebel et al. (T141) 5:23.
- ELECTRONIC** customer data management system. P. Plouffe et al. (T445) 12:107.
- ELK FALLS** continues pioneering work in mini-chip pulp production. G. Rodden. 10:18.
- EMS** and ISO 14000. P. Riebel. 1:83.
- ENERGY.** Corner Brook's energy conservation program comes up a winner. G. Rodden. 4:9.
- ENERGY CONSERVATION.** Energy savings using medium voltage softstarts on chip blowers. J.R. Cooper. (T145) 5:30.
- ENERGY CONSUMPTION,** brightness reversion are still the challenges to meet. D. McDonald. 8:22.
- ENERGY PARTNERSHIPS:** An alternative structure is feasible. D. Mili. 4:14.
- ENERGY SAVINGS** using medium voltage softstarts on chip blowers. J.R. Cooper. (145) 5:30.
- ENVIRONMENTAL** effects of sludge use in a poplar plantation. A. Liard et al. (T457) 12:122.
- ENZYME TREATMENT.** Three years experience running enzymes continuously to enhance the bleaching at Weyerhaeuser Prince Albert. E. Yee et al. (T370) 10:42.
- ESTIMATING** the response of actuators in a cross-directional control system. S.R. Duncan. (T132) 4:61.
- EVALUATION** of two-stage and three-stage refining processes for production of TMP pulp for SCA + paper. M. Sabourin et al. (T464) 12:130.
- "EXPAND FROM WITHIN"** Estivale is told. J. Ouellet. 7:10.
- EXPECT** considerable growth in paper machine design speed, width, and production capacity. M. Day. 6:20.
- EXPERT SYSTEMS.** Application of an on-line expert system to optimize dryers and press sections at Domtar Windsor. G. Nault et al. (T448) 12:111.
- EXTENDED** CALENDAR. Travel tip for business travellers: Start here. J. Bailey. 1:72.
- EXTENDING** the life of synthetic supercalender covers. E.H. Jones et al. (T52) 2:31.
- EXTRACTION** in combination with pulp washing. L. Robertsen et al. (T345) 9:86.
- F**
- FATTY ACIDS.** Use of distilled tall oil as a flotation collector in deinking mills. G.M. Dorris et al. (T471) 12:140.
- FIBRE LENGTH.** The furnish development strategies. Part II: Sheet properties. S.R. Corson et al. (9) 1:41.
- FIBRE ORIENTATION** optimization. S.R. Loewen. (T391) 10:67.
- FINE PAPER** markets recover — Led by strong US advertising demand. P. Mohr. 8:64.

FINNISH TOUR. Safari shows off a cornucopia of new technology at five Finnish mills. G. Rodden. 8:9.
 FLEXIBLE ROLL balancing. J. Alberto. (T7) 1:37.
 FLOTATION. Influence of toner detachment during mixed office waste paper repulping on flotation efficiency. Part I: particle fractionation. R.M. Vidotti et al. (T127) 4:55.
 FOREIGN TRADE. The Canadian pulp and paper industry and the new ISO 14000 environmental standards. A. Kantardjiev et al. (T1) 1:28.
 FORMING FABRICS. The influence of forming fabrics on the retention and drainage on gap formers. M. Heinola et al. (T201) 6:67.
 FRAGILE RECOVERY will lead to good supply, stable prices. J. Piccione. 1:21.
 FUNDAMENTAL RESEARCH in residual lignins and non-wood fibres is essential for paper producers. P.J. Greenbaum, 8:19.
 FURNISH development strategies. Part II: Sheet properties. S.R. Corson et al. (T9) 1:41.

G
 GADGET COMPETITION. Spruce Falls shows its initiative in the Gadget Competition. G. Rodden. 3:40.
 GET the most from your word. N. McCubbin. 6:93.
 GREY-BOX identification of a TMP refiner. B.J. Allison et al. (T123) 4:50.
 GREY-BOX identification of the continuous digester. J. Funkquist. (T414) 11:32.
 HARDWOOD vessel picking in the offset printing of uncoated fine papers. P.M. Shalhorth et al. (T353) 10:21.
 GROUNDWATER. Closing a landfill: A case study. D. Kilback et al. (T205) 6:72.

H
 HEADBOXES. Basis weight profiling experience of the Concept IV-MH headbox. S.B. Pantaleo. (T62) 2:42.
 HEADBOX CONTROL using a multivariable PI controller in a distributed automation system. A.J. Nissinen et al. (T152) 5:38.
 HEADBOX modeling and wet end pressure pulsation analysis. A. Tuladhar et al. (349) 9:91.
 HIGH BRIGHTNESS bleaching of mixed office waste. T. Granfeldt et al. (T26) 1:62.
 HOW WATERLESS offset printing affects the papermaker. N. Roberge et al. 3:24.

I
 IDEAL MILL is Paperboard's workshop. J. Bailey. 6:10.
 IMPACT of paper on ink plate interactions in offset lithography. R.M. Goodman. (T40) 2:17.
 IMPROVING the accuracy of lower explosive limit monitoring. B. Bowen. 3:21.
 IMPROVING the efficiency of internal and surface sizing agents. B. Brungardt. (T480) 12:152.
 INCORPORATION of peracetic acid into brightening of groundwood pulps. Z. Li et al. (T148) 5:34.
 INFLUENCE of a toner detachment during mixed office waste paper repulping on flotation efficiency. Part I: particle fractionation. R.M. Vidotti et al. (T127) 4:55.
 INFLUENCE of forming fabrics on the retention and drainage on gap formers. M. Heinola et al. (T201) 6:67.
 IN-LINE biological process water treatment for zero discharge operation at recycled fibre board mills. L.H.A. Habets et al. (T504) 12:184.
 INNOVATIONS in size coming on strong. P&PC Special Report. 1:17.
 INPUT/OUTPUT. Voice recognition software shows promise. N. McCubbin. 1:98; The war over office suites. N. McCubbin. 2:48; The Internet in the mill? N. McCubbin. 3:77; Tips for Windows 95 from the Web. N. McCubbin. 4:66; New process simulation software. N. McCubbin. 5:63; Get the most from your word. N. McCubbin. 6:92; Banking by computer: Only a few keystrokes away? N. McCubbin. 7:53; Making life easier with your work processor. N. McCubbin. 8:59; Stay tuned for the sequel to Windows 95. N. McCubbin. 9:95; Internet security: How real are the dangers? N. McCubbin. 10:85; Microsoft navigates a new Internet path. N. McCubbin. 11:57; What does the Cluster Rule man for Canada? N. McCubbin. 12:193.
 INTERNET in the mill? N. McCubbin. 3:77.
 INTERNET SECURITY: How real are the dangers? 10:85.

J
 JANUS CONCEPT: A completely new calendaring technology to meet future market requirements. U. Gabbusch. (T32) 1:68.

K
 KNEADER-TYPE pulpers: Lab test. S. Carriere et al. (T36) 1:76.
 KNOWLEDGE and judgement are crucial to Canada's competitiveness. B. van Lierop et al. 3:39.
 KRAFT PULPS. Wet-web strength of hardwood kraft pulp. (T305) 9:44.
 KRAFT PULPS. Decreasing ECF bleaching costs with enzymes in a mill with oxygen delignification. J.S. Tolan et al. (T476) 12:147.

L
 LABOR RELATIONS. Bargaining flexibility in the BC pulp and paper industry. J. Bratton et al. 6:15.
 LABOR RELATIONS. To stay globally competitive, Canadian companies say agreements of five-years-or-more are necessary. P.J. Greenbaum. 9:14.
 Leading change: Re-examining the way to do business. G. Rodden. 12:35.
 LIFE CYCLES. EMS and ISO 14000. P. Riebel. 1:83; EEM update. P. Riebel. 3:78; Effluent non-compliance. P. Riebel. 5:58; Should mill environmental laboratories seek accreditation? P. Riebel. 7:59; Choosing software for EMS. P. Riebel. 9:90; Effective emergency response planning. P. Riebel. 11:59.

M
 MAINTENANCE. Effects of repairs on electric motor efficiency. A. Charette et al. (T4) 1:32.
 MAINTENANCE. Shutdown: How Weyerhaeuser Canada is preparing for 1997. S. Farrell. 2:12.
 MAINTENANCE. Results of the Technical Section, CPPA, Mechanical Maintenance Survey. R. LaBrie. (T258) 8:29.
 MAKING life easier with your word processor. N. McCubbin. 8:59.
 MANUFACTURE of multiwall sack papers. C. Scott-Kerr. (T159) 5:45.

MAPPING. New algorithms for intelligent identification of paper alignment and nonlinear shrinkage. D. Gorinevsky et al. (T209) 6:76.
 MATHEMATICAL MODELS. Dynamic modeling and control of a hydrogen peroxide bleaching process. X. Qian et al. (T340) 9:81.
 MATHEMATICAL MODELS. Robust PI controller tuning and process identification. S. Ogawa. (T404) 11:18.
 MATHEMATICAL MODELS. Grey-box identification of the continuous digester. J. Funkquist. (T414) 11:32.
 MEASUREMENT selection issues for the model predictive control of a Kamyr digest. P.A. Wisniewski et al. (T233) 7:57.
 MEASUREMENT. Fibre orientation optimization. S.R. Loewen. (T391) 10:67.
 MECHANICAL PULPING. 22nd Annual Leak Survey: World capacity is at 38.2 million t/y. 3:13.
 MECHANICAL PULPING. Evaluation of two-stage and three-stage refining processes for production of TMP pulp for SCA + paper. M. Sabourin et al. (T464) 12:130.
 MICROSOFT navigates a new Internet path. N. McCubbin. 11:57.
 MIDWEST BRANCH, CPPA, has a reason to shine. J. Bailey. 1:11.
 MILL EXPERIENCES with AT™ precipitated calcium carbonate (PCC) in papers containing mechanical pulp. R.L. Ain et al. (T495) 12:172.
 MILL SAFETY improves in Canadian mills. L. Marcl. 8:27.
 MILL-WIDE information system at Slave Lake Pulp Corporation. H. Farzadeh et al. (T431) 11:51.
 MINAS BASIN adds a new machine...for 30 cents on the dollar. G. Rodden. 12:33.
 MINIMIZATION of the brightness loss due to metal ions in process water for bleached mechanical pulps. Y. Ni et al. (T396) 10:72.
 MODELS. Dynamics of fine distribution in a white-water network. J.A. Orcotoma et al. (T336) 9:77.
 MODERNIZATION. New ownership prepares Baie Comeau for new frontiers. G. Rodden. 2:9.
 MODERNIZATION. Electrical projects give Grand Falls a boost. 4:16.
 MODERNIZATION. Powell River looks to the long term. G. Rodden. 7:16.
 MODERNIZATION. Elk Falls continues pioneering work in mini-chip pulp production. G. Rodden. 10:18.
 MODERNIZATION. Norkraft's 30th anniversary promises a new beginning. 11:9.
 MODERNIZATION. Minas Basin adds a new machine...for 30 cents on the dollar. G. Rodden. 12:33.
 MONTREAL is still the place to be in January. G. Rodden. 3:31.
 MULTIAxIAL press fabrics from evolution to revolution. J. Rexfelt. (T13) 1:46.
 MULTIPLE re-strikes phenomenon when using vacuum circuit breakers to start refiner motors. J.P. Eichenberg et al. (T228) 7:32.
 MULTISTAGE PROCESS. TCF bleaching for the Alcell process including oxygen delignification. Y. Ni et al. (T419) 11:38.

N
 NEUTRAL network for modeling pulp process. J. Zhu et al. (T298) 9:35.
 NEW ALGORITHMS for intelligent identification of paper alignment and nonlinear shrinkage. D. Gorinevsky et al. (209) 6:76.
 NEW OWNERSHIP prepares Baie Comeau for new frontiers. G. Rodden. 2:9.
 NEW PROCESS simulation software. N. McCubbin. 5:63.
 NEW ROLL measurement and control technology result in better paper machine performance. K.K. Hilden et al. (T91) 3:72.
 NEWSGRADE TMP from three different Norway Spruce (Picea Abies) wood assortments in mill-scale. J. Tyrvainen. (T376) 10:51.
 NEWSPRINT moves beyond a commodity. G. Rodden. 3:44.
 NEWSPRINT. When giants meet. G. Rodden. 9:20.
 NEWSPRINT. Alberta's only paper mill puts a heavy emphasis on its people skills. G. Rodden. 9:25.
 NEWSPRINT. Comparison between peroxide prebleaching and postbleaching sequence of ONP with alternative chemicals: chances and limitations. M.M. Sain et al. (T310) 9:49.
 NEW TALES of success are written on old fibre. J. Bailey. 5:13.
 NEW TECHNOLOGY leads to a 'perfect' world. 3:46.
 NEW TUNING rules for PID control. W.R. Cluett et al. (186) 6:52.
 NEW WINDERS help Stora Hylte set new world speed record. A P&PC special report. 9:11.
 NON-CONDENSIBLE GASES. In anticipation of regulatory impacts: dedicated NCG incineration with SO₂ removal. D. Banks. (T156) 5:42.
 NORKRAFT'S 30th anniversary promises a new beginning. G. Rodden. 11:9.

O
 OBTAINING reliable BOD5 data for regulatory reporting and treatment operation. M. Owen et al. (T286) 8:60.
 OCC. Idle mill is Paperboard's workshop. J. Bailey. 6:10.
 OFF-LINE paper machine analyzer provides improved paper machine production, efficiency and paper quality. J. Perento et al. (T326) 9:67.
 OFFSET LITHOGRAPHY. The impact of paper on ink plate interactions in offset lithography. R.M. Goodman. (T40) 2:17.
 ON-LINE tracer system to improve enzyme performance. J.S. Tolan et al. (T57) 2:36.
 ON-LINE MEASUREMENT. Reducing batch-to-batch variability of pulp quality through model-based estimation. A.K. Datta et al. (T119) 4:46.
 ON-LINE MEASUREMENT. Successful application of process control and on-line pulp quality sensors — a survey. (T440) 12:99.
 OPERATING experiences with a gas heated paper dryer at Willamette Industries. A. Cooper et al. (T460) 12:126.
 OPTIMIZING residence time, temperature and speed to improve TMP pulp properties and reduce energy. M. Sabourin et al. (T111) 4:38.
 OPTIMUM CTMP/CMF pulps for board production. S. Janknecht et al. (T163) 5:49.
 OXYGEN. DZ state-of-the-art ECF bleaching: Part I. G. Homer et al. (T269) 8:42.
 OXYGEN. Adding oxygen delignification in an existing kraft mill. (T294) 9:30.

P
 PACWEST gets a "Reality check" at special plenary session. G. Rodden. 7:12.
 PAPER BOARDS. Optimum CTMP/CMF pulps for board production. S. Janknecht et al. (T163) 5:49.
 PAPER MACHINES. New roll measurement and control technology result in better paper

machine performance. K.K. Hilden et al. (T91) 3:72.

PAPER MACHINES. Expect considerable growth in paper machine design speed, width, and production capacity. M. Day. 6:20.

PAPER QUALITY. Off-line paper machine analyzer provides improved paper machine production, efficiency and paper quality. J. Perento. (T326) 9:67.

PAPERWEEK INTRODUCTION. Montreal is still the place to be in January. G. Rodden. 3:31.

PAPERWEEK International aims to show the world how the Canadian industry is leading change. G. Rodden. 11:16.

PERFORMANCE analysis of cross-directional process control using multivariable and spectral models. D. Gorinevsky et al. (T240) 7:44.

PEROXIDE BLEACHING. A critical comparison of PRP and PP brightening of low-freeness CTMP. G. Pangalos. (T176) 6:40.

PEROXIDE BLEACHING. TCF bleaching for sulphite pulps. J. Kappel. (T244) 7:48.

PLANTATIONS. Environmental effects of sludge use in a poplar plantation. A. Liard et al. (T457) 12:122.

POWELL RIVER looks to the long term. G. Rodden. 7:16.

PRESS FELTS. Multiaxial press fabrics from evolution to revolution. J. Rexfelt. (T13) 1:46.

PRESS ROLLS. The characterization of press roll topography. C.B. Thompson et al. (T357) 10:27.

PRINTING. How waterless offset printing affects the papermaker. N. Roberge et al. 3:24.

PRINTING. Hardwood vessel picking in the offset printing of uncoated fine papers. P.M. Shalhorm et al. (T353) 10:21.

PRINTING. Digital printing: the future of printing? P.J. Mangin. (T435) 12:93.

PRINTING INK. The adverse role of fibres during the flotation of flexographic inks. B. Chabot et al. (T451) 12:115.

PROCESS AUTOMATION. UPM-Kymmene's Fibre 90 program boosts quality and environmental performance. P&PC Special Report. 8:15.

PROCESS CONTROL must be managed properly to work. J. Ouellet. 3:42.

PROCESS CONTROL. DO-stage control in ECF bleaching and mid-digester kappa measurement. M. Ollila et al. (T77) 3:56.

PROCESS CONTROL. Measurement selection issues for the model predictive control of a Kamyr digester. P.A. Wisniewski et al. (T233) 7:37.

PROCESS CONTROL. Performance analysis of cross-directional process control using multivariable and spectral models. D. Gorinevsky et al. (T240) 7:44.

PROCESS CONTROL. Variability propagation through a stock preparation system: Implications for process control and process design. J. Tseng et al. (T322) 9:63.

PROCESS CONTROL. Two-dimensional methods for MD and CD estimation and control: Recent progress. P.E. Wellstead et al. (T331) 9:72.

PROCESS CONTROL. Mill-wide information system at Slave Lake Pulp Corporation. H. Farzadeh et al. (T431) 11:51.

PROCESS ENERGY standards. G.A. Robb. (T361) 10:33.

PROCESS SYSTEMS management in the pulp and paper industries: An optimization approach. F. Kayihan. (T265) 8:37.

PROFESSIONAL development goes to school. D.L. Lekx. 3:42.

PUSHING the envelope of mechanical pulping. P.J. Greenbaum. 3:41.

R

RADER bar screen performance at Howe Sound Pulp & Paper Ltd. D.G. Robinson. (T96) 4:21.

RECONFIGURATION of a five-stage bleach plant for ultra-low AOX discharge. J. Histed. (T491) 12:167.

RECYCLING. Short sequence recycling: The factors affecting ink agglomeration and stability. J. Grant et al. (T16) 1:51.

RECYCLING: Still much to learn. P.N. Williamson. 3:44.

RECYCLING FORUM looks for a balance. J. Bailey. 12:12.

REDUCING batch-to-batch variability of pulp quality through model-based estimation. A.K. Datta et al. (T119) 4:46.

REFINER MECHANICAL PULPING. Thermopulp — a new energy-efficient mechanical pulping process. H. Hoglund et al. (T215) 6:82.

REFINER SPEED. Optimizing residence time, temperature and speed to improve TMP pulp properties and reduce energy. M. Sabourin et al. (T111) 4:38.

RESULTS of the Technical Section, CPPA, Mechanical Maintenance Survey. R. LaBrie. (T258) 8:29.

RETENTION aid research leads to customized chemical applications. M. Williamson. 10:9.

REVIEW of constraints and opportunities for the land application of paper mill sludges and residues. J.Y. Drolet et al. (T197) 6:63.

REVIEW of deadline compensator and PI controller regulation performance. W.L. Bialkowski. (T386) 10:62.

RIEBEL, P. Effective emergency response planning. 11:59.

ROBUST PI controller tuning and process identification. S. Ogawa. (T404) 11:18.

ROLE of transition metal ions during peracetic acid bleaching of chemical pulps. Z. Yuan et al. (T408) 11:24.

ROLL JOURNAL cracking on paper machines: A review of the problem. C.B. Thompson et al. (T261) 8:33.

RUNNABILITY. Wet-web properties and their effect on picking and machine runnability. I.I. Pikulik. (T487) 12:161.

S

SAFARI shows off a cornucopia of new technology at five Finnish mills. G. Rodden. 8:9.

SAFER storage and handling of hydrogen peroxide. A P&PC special report. 11:13.

SAFEST MILL IN CANADA. Mill safety improves in Canadian mills. L. Marci. 3:27.

SAFETY. Don't take shortcuts with winder safety. S. Amos et al. 12:29.

SAFETY. Safer storage and handling of hydrogen peroxide. A P&PC special report. 11:13.

SAFETY. Dryer door down. G. Rodden. 12:25.

SCREENING. Rader bar screen performance at Howe Sound Pulp & Paper Ltd. D.G. Robinson. (T96) 4:21.

SCREENING. TMP long fibre fractionation with pressure screens. R.F. Wakelin et al. (T500) 12:179.

SELECTION of poplar clones for thermomechanical pulping. M. Petit-Conil et al. (T22) 1:58.

SELECTIVE removal of toner particles from repulped slurries by flotation. D.C. Schmidt et al. (T43) 2:21.

SENSORS. Improving the accuracy of lower explosive limit monitoring. B. Bowen. 3:21.

SHORT SEQUENCE recycling: The factors affecting ink agglomeration and stability. J. Grant et al. (T16) 1:51.

SHOULD MILL environmental laboratories seek accreditation? P. Riebel. 7:58.

SHUTDOWN: How Weyerhaeuser Canada is preparing for 1997. S. Farrell. 2:12.

SIMPLIFIED BLEACHING: environmental advantages for existing bleach plants. J. Histed. (T400) 10:77.

SIMULATION. Grey-box identification of a TMP refiner. B.J. Allison et al. (T123) 4:50.

SIMULATION. A neural network for modeling pulp process. J. Zhu et al. (T298) 9:35.

SIZING. Innovations in size coming on strong. P&PC Special Report. 1:17.

SLOWER growth in Southeast Asia "spooks" commodity markets. P. Mohr. 12:191.

SLUDGE. A review of constraints and opportunities for the land application of paper mill sludges and residues. J.Y. Drolet et al. (T197) 6:63.

SPRUCE FALLS shows its initiative in the Gadget Competition. G. Rodden. 3:40.

STANDARDS. Process energy standards. (T361) 10:33.

STATISTICAL METHODS. Control relevant disturbance modeling of paper machine full profile properties using adaptive PCA. A. Rigopoulos et al. (T423) 11:42.

STAY TUNED for the sequel to Windows 95. N. McCubbin. 9:95.

STICKIES. Control of stickies contaminants in newsprint applications — review mechanisms and novel approach. R. LeRoux et al. (T315) 9:54.

STORA continues to lead the way. G. Rodden. 6:27.

SUCCESSFUL Lo-Solids™ Cooking at Hinton. J.I. Volk et al. (T68) 3:47.

SUCCESSFUL application of process control and on-line pulp quality sensors — a survey. A.A. Roche et al. (T440) 12:99.

SURFACE SIZING. Improving the efficiency of internal and surface sizing agents. B. Brungard. (T480) 12:152.

SYSTEMS ENGINEERING. Process systems management in the pulp and paper industries: An optimization approach. F. Kayihan. (T265) 8:37.

T

TCF bleaching for sulphite pulps. J. Kappel et al. (T244) 7:48.

TCF bleaching for the Alcell process including oxygen delignification. Y. Ni et al. (T419) 11:38.

TMP long fibre fractionation with pressure screens. R.F. Wakelin et al. (T500) 12:179.

TECHNICAL SECTION'S 82nd Year in Review. B. van Lierop et al. 3:32.

TEMPERATURE-GRADIENT calendaring: From the laboratory to commercial reality. M.F. Gratton et al. (T82) 3:62.

THE BOTTOM LINE. Canadian pulp and paper producers climb the value-added ladder. P. Mohr. 10:83.

THERE are many ways to improve ECF bleaching conditions. J. Ouellet. 3:43.

THERMOMECHANICAL PULPING. Selection of poplar clones for thermomechanical pulping. M. Petit-Conil et al. (T22) 1:58.

THERMOPULP — a new energy-efficient mechanical pulping process. H. Hoglund et al. (T215) 6:82.

THREE years experience running enzymes continuously to enhance the bleaching at Weyerhaeuser Prince Albert. E. Yee et al. (T370) 10:42.

TIPS for Windows 95 from the Web. N. McCubbin. 4:66.

TO STAY globally competitive, Canadian companies say agreements of five-years-or-more are necessary. P.J. Greenbaum. 9:14.

TOWARDS closed-cycle kraft: ECF versus TCF case studies. P. Gleadow et al. (T100) 4:27.

TOXICITY prevention and response. P. Riebel et al. (T141) 5:23.

TRANSITION METALS. The role of transition metal ions during peracetic acid bleaching of chemical pulps. Z. Yuan et al. (T408) 11:24.

TRAVEL TIP for business travellers: Start here. J. Bailey. 1:72.

TREATMENT of lagoon sludge, primary clarifier sludge, and bleach plant effluent by supercritical water oxidation. S.P. Cooper et al. (T365) 10:37.

TURNING off the tap. G. Rodden. 10:13.

TWO-DIMENSIONAL methods for MD and CD estimation and control: Recent progress. P.E. Wellstead et al. (T331) 9:72.

U

UPM-Kymmene's Fibre 90 program boosts quality and environmental performance. P&PC Special Report. 8:15.

UPGRADING wastewater treatment plants with economical, on-site oxygen supply. R.A. DiLabio et al. (T427) 11:46.

USE of distilled tall oil as a flotation collector in deinking mills. G.M. Dorris et al. (T469) 12:137.

V

VARIABILITY propagation through a stock preparation system: Implications for process control and process design. J. Tseng et al. (T322) 9:63.

VOICE recognition software shows promise. N. McCubbin. 1:80.

W

WAR over office suites. N. McCubbin. 2:48.

WASTE PAPERS. Kneader-type pulpers: Lab test. S. Carriere et al. (T36) 1:76.

WATER SUPPLY. Minimization of the brightness loss due to metal ions in process water for bleached mechanical pulps. Y. Ni et al. (T396) 10:72.

WET-WEBS strength of hardwood kraft pulps. N. Gurnagul et al. (T305) 9:44.

WET-WEBS properties and their effect on picking and machine runnability. I.I. Pikulik. (T487) 12:161.

WHAT do we have to do to become world class? P&PC Special Report. 8:25.

WHAT does the Cluster Rule mean for Canada? N. McCubbin. 12:193.

WHEN giants meet. G. Rodden. 9:20.

WINDING. New winders help Stora Hylte set new world speed record. A P&PC special report. 9:11.

WOOD PROPERTIES. Newsgrade TMP from three different Norway Spruce (*Picea Abies*) wood assortments in mill-scale. J. Tyrvainen. (T376) 10:51.

Y

YEAR IN REVIEW. The Technical Section's 82nd Year in Review. B. van Lierop et al. 3:32.

YIELD determination and mass balance closure of batch ethanol-based solvent cookings. R.D. Girard et al. (T290) 8:65.

